



*Mac Snow Leopard
Wireless Connectivity Guide
Version 1.0*


Step 1: Click on the wireless button
Select *Open Network Properties*.



Step 2: Click on the “Advanced...” button.



Step 3: Click on “+” button.



Step 4: Enter your username in the *User Name* field

Enter your password in the *Password* field


802.1x can remain set to *Automatic*

Click the “Save” button, then the “Apply” button

The system will attempt to automatically connect

If it does not connect, click the “Turn AirPort Off” button once, then click the “Turn AirPort On” button to have it attempt to reconnect to the network

If unsuccessful, go to Step 5.



Step 5: You'll need to set up a profile to connect...

From the *Network* screen (step 2), click on the "Advanced" button

Click on the 802.1X button at the top


Again, type your student username in the *User Name* field

Enter your password in the *Password* field

Ensure at least PEAP and LEAP are selected as *Authentication types*.


Ensure *Wireless Network* is set to RRCWireless and the *Security Type* is set to WPA2 Wireless

Click the "OK" button.




Step 6: Click the *AirPort* button

Double-click on *RRCWireless*.



Step 7: The *Network Name* and *Security* information should already be set
Select “WPA:RRCWireless” for 802.1X
The *User Name* and *Password* should auto-complete.



Edit the existing network.
Edit the name and security information of the network.

Network Name: RRCWireless

Security: WPA2 Enterprise

User Name: studentname

Password:

802.1X: WPA: RRCWireless

Show Networks Cancel Save

Step 8: Click the “Save” button

Click the “Apply” button

If it does not connect, click the “Turn AirPort Off” button once, then click the “Turn AirPort On” button to have it attempt to reconnect to the network.

Please Note: If you attempt to connect to RRCWireless manually, the security settings will change and you will not be able to connect. Allow your Mac to automatically connect. If it does not want to auto-connect, access the Network Preferences screen (step 1), click Turn AirPort Off and then click Turn AirPort On.